MADE IN U.S.A.

GENUINE

Trussell

74 CL

Arizona elegans
Code No. 25

Arizona elegans

Chionactis
occipitalis
Code # 26

Chionactis
occipitalis

Chemidophorus hyperythrus

Code #21

cnemidophorus
hyperythrus

SPECIES Chemidophorus hyperythrus TAG NO. 1

CONTAINER NO. B59 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE MAR 11 1961 SPEEDOMETER

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1155 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT chaparral

CHASE 40 FEET

REMARKS:

SPECIES *Cnemidophorus hyperythrus* TAG NO. 2

CONTAINER NO. B63 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE MAR 1 8 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: Under *Encelia farinosa*.

SPECIES *Cnemidophorus hyperythrus* TAG NO. 3

CONTAINER NO. 863 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: Under *Encelia farinosa*

SPECIES Cnemidophorus hyperythrus TAG NO. 4

CONTAINER NO. B63 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 53

DATE MAR 10 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: Under Encelia farinosa.

SPECIES Cnemidophorus hyperythrus TAG NO. 5

CONTAINER NO. B63 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 46

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Coastal sage scrub

CHASE FEET

REMARKS: Under Encelia farinosa.

SPECIES Chemidophorus hyperythrus TAG NO. 6

CONTAINER NO. B 63 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 51

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: Under Encelia farinosa

SPECIES *Cnemidophorus hyperythrus* TAG NO. 7

CONTAINER NO. B57 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 47

DATE MAR 1 0 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1245 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 30 FEET

REMARKS: Under *Encelia farinosa*

SPECIES Cnemidophorus hyperythrus TAG NO. 8

CONTAINER NO. B57 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 45

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 40 FEET

REMARKS: Under Encelia farinosa

SPECIES *Cnemidophorus hyperythrus* TAG NO. 9

CONTAINER NO. B57 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 53

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 10-12 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: Under *Encelia farinosa*

SPECIES Cnemidophorus hyperythrus TAG NO. 10

CONTAINER NO. B25 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 56

DATE MAR 1 8 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 50 FEET

REMARKS: under Encelia farinosa

SPECIES Cnemidophorus hyperythrus TAG NO. 11

CONTAINER NO. B25 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 49

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 80 FEET

REMARKS: Under Encelia farinosa

SPECIES *Cnemidophorus hyperythrus* TAG NO. 12

CONTAINER NO. B25 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 51

DATE MAR 1 0 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: under *Encelia farinosa*.

SPECIES *Cnemidophorus hyperythrus* TAG NO. 13

CONTAINER NO. B58 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1222 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Coastal sage scrub

CHASE FEET

REMARKS: Under *Encelia farinosa*

SPECIES Chemidophorus hyerythrus TAG NO. 14

CONTAINER NO. B58 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 52

DATE MAR 1 8 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: Under Encelia farinosa

SPECIES Cnemidophorus hyperythrus TAG NO. 15

CONTAINER NO. B58 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 51

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 50 FEET

REMARKS: Under Encelia farinosa

SPECIES Cnemidophorus hyperythrus TAG NO. 16

CONTAINER NO. B62 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE MAR 16 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: Under Encelia farinosa.

SPECIES *Cnemidophorus hyperythrus* TAG NO. 17

CONTAINER NO. B53 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE MAR 1 8 1971 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1308 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 10-12 ROAD TEMP. _____ °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: Under *Encelia farinosa*

SPECIES *Cnemidophorus hyperythrus* TAG NO. 18

CONTAINER NO. B18 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 52

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Coastal sage scrub

CHASE FEET

REMARKS: Under *Encelia farinosa*

SPECIES *Cnemidophorus hyperythrus* TAG NO. 19

CONTAINER NO. B18 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 47

DATE Mar. 18, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 50 FEET

REMARKS: Under *Encelia farinosa*

SPECIES Cnemidophorus hyperythrus TAG NO. 20

CONTAINER NO. B 18 SEX ♀ AGE ad.? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 48

DATE MAR 18 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.4 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 44.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 40 FEET

REMARKS: Under Encelia farinosa

SPECIES Cnemidophorus hyperythrus TAG NO. 21

CONTAINER NO. B50 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 52

DATE MAR 21 1981 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP 35.4 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: Under Artemisia californica

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 22

CONTAINER NO. B62 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 59

DATE APR 11 1961 SPEEDOMETER

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 17.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP °C

HABITAT COSTAL SAGE SCRUB

CHASE 60 FEET

REMARKS: in sun on ground

SPECIES [illegible] TAG NO. 23

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE APR 11 1961 SPEEDOMETER

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP °C

HABITAT COSTAL SAGE SCRUB

CHASE 300 FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 24

CONTAINER NO. - SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 52

DATE April 17, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COSTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: caught outside the door of LSB by Sue Sweeney (by hand)

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 25

CONTAINER NO. B35 SEX ____ AGE 9d TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 54

DATE April 25, 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT COSTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: shot with rubber band

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 26

CONTAINER NO. B35 SEX ____ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 64

DATE April 25, 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: shot with rubber band

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 27

CONTAINER NO. B21 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 59

DATE April 27, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 28

CONTAINER NO. B62 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE APR 27 1961 SPEEDOMETER

LOCALITY UCR

COUNTY ~~1120~~ Riverside CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in ~~sun~~ broken shade on ground beneath Artimisia calif.

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 29

CONTAINER NO. B54 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE APR 27 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1240 CLOUDS(% overcast) _____

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 31.8 °C

SOIL SURFACE TEMP 44.5 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 30

CONTAINER NO. B57 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE April 29, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE (shade) TEMP 25.6 °C SUBSTRATE TEMP °C

HABITAT Coastal sage scrub

CHASE 3 FEET

REMARKS: in broken shade beneath Encelia farinosa.

CNEMIDOPHORUS HYPERYTHRUS

SPECIES _____ TAG NO. 31

CONTAINER NO. B61 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE May 28, 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE _____ FEET

REMARKS: caught in 5 gallon trap

Left oviduct	Right oviduct
15.9 X 8.0 mm.	15.8 X 8.3 mm.
	14.3 X 8.7 "

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 32

CONTAINER NO. B18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 56

DATE JUN 21 1961 SPEEDOMETER

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 33

CONTAINER NO. B17 SEX ____ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 66

DATE JUN 21 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT COASTAL SAGE SCRUB

CHASE ____ FEET

REMARKS: caught in trap

Bright orange on belly

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 34

CONTAINER NO. B30 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE JUN 22 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft)

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on ground

Bright orange on belly

SPECIES _____ TAG NO. 35

CONTAINER NO. B20 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE JUN 22 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 36

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE JUN 23 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 37

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE JUN 23 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: caught in trap

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 38

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE July 3, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught in trap

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 39

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE JUN 24 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: caught in trap

Breeding color only on throat

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 40

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE JUN 24 1962 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Caught in trap

Breeding color only on throat

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 41

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# ~~58~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE May 9, 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: caught by Ken Evans in trap

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 42

CONTAINER NO. R35 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE May 13, 1963 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: caught by Howard Towner

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 43

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE 25 June 1963 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by Bill Steines while copulating with #44. Copulated again in cage before autopsy.
Head removed by R. R. J. Chaffee.

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 44

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 59

DATE 25 June 1963 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by Bill Steines while copulating with # 43. Copulated again in cage before autopsy.
Head removed by R.R.J. Chaffee.

SPECIES CNEMIDOPHORUS HYPERYTHRUS TAG NO. 45

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE MAY 28 1964 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Cnemidophorus
tigris
Code # 20

Cnemidophorus
tigris

SPECIES Cnemidophorus tigris

SACK NO. R21 SEX ♀ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE Sept. 18, 1958 SYNEPNUMBER 12584

LOCALITY 2 mi. N. of Newberry, San Bernardino Co., Calif.

STANDARD TIME 1600 CLOUDS none

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION none ALTITUDE(ft) 1850

WIND VELOCITY(miles/hour) 0 TAG NO. Z

AIR TEMPERATURE _____ °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE _____ °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert.

REMARKS: _____

SPECIES Chemidophorus tigris

SACK NO. Y(no #) SEX ♂ AGE IMM (?)

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Sept. 18, 1958 EXPERIMENTER 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1125 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 TAG NO. 3

AIR TEMPERATURE 29.8 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 51.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert

REMARKS: _____

Cnemidophorus tigris

Y10 ♂ ad.

81

Oct. 17, 1958 11775

10 mi. E. of Newberry, San Bernardino Co., Calif.

1145 none

— ~5

none 1800

0 4

32.2

47.8

Sand between lava outcrops.

SPECIES Cnemidophorus tigris TAG NO. 5

CONTAINER NO. R17 SEX ♂ AGE ad.? TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE May 16, 1959 SPECIMEN NO. 13827

LOCALITY 8 mi. S. of Barstow,

COUNTY San Bernardino STATE Calif.

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP.

AIR TEMP (30 cm) 24.0 °C AIR TEMP(1 cm) 32.4

SURFACE TEMP 42.0 °C CLOACAL TEMP

SUBSTRATE TEMP °C

HABITAT Rocky slope

COMMENTS

SPECIES Cnemidophorus tigris TAG NO. 6

SUBTAGS NO. B17 SEX ♀ AGE Imm TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 57

DATE May 16, 1959 SPECIMEN NO. 13827

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino STATE Calif.

STANDARD TIME 0900 CLOUDS(% overcast) 60 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP.

(30 in) 26.6 °C AIR TEMP(1 cm) 33.2

SURFACE TEMP 38.0 °C CLOACAL TEMP

SUBSTRATE TEMP °C

HABITAT Rocky slope

SPECIES Cnemidophorus tigris

SACK NO. Y8 SEX ♀ AGE ad.?

WEIGHT(gms ____ SNOUT-VENT LENGTH(mm) 67

DATE May 16, 1959 SPEEDOMETER 13827

LOCALITY 8 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1305 CLOUDS 30% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 2700

WIND VELOCITY(miles/hour) 1-3 TAG NO. 7

AIR TEMPERATURE (30") 29.6 °C (1cm) 38.0 °C

ROAD TEMPERATURE ____ °C ____ °F

SOIL SURFACE TEMPERATURE 57.0 °C ____ °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT Rocky slope

REMARKS: ____

SPECIES Cnemidophorus tigris T/O # 8

CONTAINER # R18 SEX ♂ AGE ad. SOL-SOL

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 93

DATE May 23, 1959 SPECIMEN # 3106

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP.

TEMP (30 in) 30.2 °C AIR TEMP(1 cm) 36.4

SURFACE TEMP 57.0 °C CLOACAL TEMP

SOIL SURFACE TEMP °C

HABITAT creosote bush scrub

COMMENTS

SPECIES Cnemidophorus tigris TAG. NO. 9

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 99

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0730 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 44

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 31.9 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on sand in sun. No chase.

SPECIES: Cnemidophorus tigris TAG NO. 10

DESCRIBER NO. R 4 SEX ♂ AGE ad. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 92

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0830 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) ~43

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in sun on a dune. Slight chase.

SPECIES Cnemidophorus tigris TAG. NO. 11

CONTAINER NO. R22 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1002 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 44.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in shade of creosote bush

Left Testis-3.8 mm X 1.9 mm. Left testis preserved

Right " 3.5 " X 1.8 "

SPECIES Cnemidophorus tigris TAG. NO. 12

CONTAINER NO. R40 SEX ♀ (?) AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE AUG 1 1966 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 18

WIND DIRECTION S. E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in shade of creosote bush

SPECIES Cnemidophorus tigris TAG. NO. 13

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 81

DATE Sept. 4, 1959 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE ____ FEET

REMARKS: caught by Harry Cramer. No other data available.

SPECIES Cnemidophorus tigris TAG. NO. 14

CONTAINER NO. R12 SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE _____ SPEEDOMETER 31095

LOCALITY 36 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%) 39

WIND DIRECTION N. E. ALTITUDE(ft.) 2200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 40.0 °C CLOACAL TEMP 39.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub (rock outcrops)

CHASE 20 FEET

REMARKS: in sun in open.

SPECIES Cnemidophorus Tigris TAG. NO. 15

CONTAINER NO. R26 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 103

DATE SEP 11 1959 SPEEDOMETER 31101

LOCALITY 42 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1455 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION N.E. ALTITUDE(ft.) 1450

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.6 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP 41.7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in open, digging for something. It turned out to be a termite colony.

SPECIES Cnemidophorus tigris TAG. NO. 16

CONTAINER NO. B60 SEX ♀ AGE Emm? TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE APR 2 1960 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP — °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE 4 FEET

REMARKS: On ground under Grayia spinosa.

SPECIES Cnemidophorus tigris TAG. NO. 17

CONTAINER NO. R36 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 99

DATE April 12, 1960 SPEEDOMETER 34831

LOCALITY 26 mi. W. of Rice

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 58

WIND DIRECTION W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 26.2 °C

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun at edge of brush pile

SPECIES Cnemidophorus tigris TAG. NO. 18

CONTAINER NO. B18 SEX ♀ AGE Ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE 12 Apr 1960 SPEEDOMETER 34853

LOCALITY 8 mi. N. of Desert Center

COUNTY Riverside CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 56

WIND DIRECTION S.W. ALTITUDE(ft.) 1000

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.2 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 40.8 °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Desert Wash

CHASE 10 FEET

REMARKS: In open at base of Larrea divaricata

SPECIES Cnemidophorus tigris TAG. NO. 19

CONTAINER NO. R21 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 116

DATE April 21, 1960 SPEEDOMETER 35406

LOCALITY 15 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 34.2 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE 50 FEET

REMARKS: ran across road in front of us.

SPECIES Cnemidophorus Tigris TAG. NO. 20

CONTAINER NO. Y2 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE APR 21 1960 SPEEDOMETER 35406

LOCALITY 15 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0823 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1180

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 34.2°C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 50 FEET

REMARKS: in sun on sand

SPECIES Cnemidophorus tigris TAG. NO. 21

CONTAINER NO. R33 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 97

DATE APR 21 1980 SPEEDOMETER 35419

LOCALITY 28 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1525 CLOUDS(% overcast) 90

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION S.E. ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 39.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: in sun on edge of road

SPECIES Cnemidophorus tigris TAG. NO. 22

CONTAINER NO. R33 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 91

DATE APR 21 1980 SPEEDOMETER 35419

LOCALITY 28 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1525 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on open ground

SPECIES Chemidophorus tigris TAG. NO. 23

CONTAINER NO. R10 SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE April 30, 1960 SPEEDOMETER 2827

LOCALITY Kane Springs

COUNTY Imperial CALIF.

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) Below 0

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: in building

SPECIES Cnemidophorus tigris TAG. NO. 24

CONTAINER NO. Y1 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE May 1, 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Cnemidophorus tigris TAG. NO. 25

CONTAINER NO. R12 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 100

DATE May 1, 1960 SPEEDOMETER 2929

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Sand dune

CHASE _____ FEET

REMARKS: 2 seen together — one caught

SPECIES Cnemidophorus tigris TAG. NO. 26

CONTAINER NO. R30 SEX ♀ AGE Ad TOE CLIP # 96

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE 20 May 1960 SPEEDOMETER 10561

LOCALITY 15 mi. N. of Lucerne Valley

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1535 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION SE ALTITUDE(ft.) 4020

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote bush scrub

CHASE 30 FEET

REMARKS: In open sun

SPECIES Cnemidophorus tigris TAG. NO. 27

CONTAINER NO. R47 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE 21 May 1960 SPEEDOMETER _____

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.2 °C AIR TEMP(1 cm) 26.2 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP — °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: In sun

SPECIES Cnemidophorus tigris TAG. NO. 28

CONTAINER NO. R15 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY 10 mi S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION W ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: In arm

SPECIES Cnemidophorus tigris TAG. NO. 29

CONTAINER NO. R42 SEX ♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 99

DATE MAY 21 1980 SPEEDOMETER 32605

LOCALITY 15 mi S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3500

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: In sun at edge of road.

SPECIES Cnemidophorus tigris TAG. NO. 30

CONTAINER NO. R7 SEX ♀ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE MAY 21 1960 SPEEDOMETER _____

LOCALITY Giant Rock

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Eggs in oviduct

Left = 1 egg Right = 2 eggs

19.2 x 9.1 18.0 x 8.4

18.6 x 9.6

SPECIES Cnemidophorus Tigris TAG. NO. 31

CONTAINER NO. R24 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.2 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 8 FEET

REMARKS: in shade of Chilopsis linearis

SPECIES Cnemidophorus tigris TAG. NO. 32

CONTAINER NO. R42 SEX f AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE JUN 9 1960 SPEEDOMETER 033

LOCALITY 8 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1755 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) –

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 35.8 °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 20 FEET

REMARKS: In sun

SPECIES Cnemidophorus tigris TAG. NO. 33

CONTAINER NO. R47 SEX ♂ AGE Ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE JUN 9 1960 SPEEDOMETER 035

LOCALITY 2 mi W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 35.8 °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 5' FEET

REMARKS: In sun on canal bank

SPECIES Cnemidophorus tigris TAG. NO. 34

CONTAINER NO. R47 SEX ♂ AGE Ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE JUN 9 1960 SPEEDOMETER 035

LOCALITY 7 mi W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 35.8 °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 40 FEET

REMARKS: In sun on canal bank

SPECIES Cnemidophorus tigris TAG. NO. 35

CONTAINER NO. B53 SEX ♂ AGE Ad TOE CLIP # ~~9LE~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE JUN 11 1960 SPEEDOMETER 356

LOCALITY 4 mi S. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.0 °C AIR TEMP(1 cm) 42.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 44.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: Ran across road

SPECIES *Chemidophorus tigris* TAG. NO. 36.

CONTAINER NO. R14 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE [illegible] 12 1980 SPEEDOMETER 43476

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.8 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT [illegible]EOSOTE BUSH SCRUB

CHASE 75 FEET

REMARKS: *shade of Larrea*

SPECIES Cnemidophorus tigris TAG. NO. 37

CONTAINER NO. R25 SEX ♂ AGE _____ TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 100

DATE 15 July 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1740 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 42.8 °C AIR TEMP(1 cm) 44 °C

SOIL SURFACE TEMP [redacted] °C CLOACAL TEMP 42.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: walking about on open sand.

SPECIES Cnemidophorus tigris TAG. NO. 38

CONTAINER NO. R34 SEX ♂ AGE _____ TOE CLIP # _____

WEIGHT(gr.) _____ SNOUT-VENT LENGTH(mm) 100

DATE JUL 16 1980 SPEEDOMETER 43866

LOCALITY 28 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~36 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: Seen running on open sand

SPECIES Cnemidophorus tigris TAG. NO. 39

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP # 97

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

SPECIES Cnemidophorus tigris TAG. NO. 40

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

SPECIES Cnemidophorus tigris TAG. NO. 41

CONTAINER NO. R4 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

SPECIES Cnemidophorus tigris TAG. NO. 42

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 93

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AAIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Cnemidophorus tigris TAG. NO. 43

CONTAINER NO. R4 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Cnemidophorus tigris TAG. NO. ~~43~~ 44

CONTAINER NO. R2 SEX ♂ AGE ad. TOE CLIP# _____

EI WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AI AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 45

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 103

DATE APR 14 1961 SPEEDOMETER

LOCALITY 2 mi. E. of Mecca

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1535 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) —189

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 30.6 °C AIR TEMP(1 cm) 31.6 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE 20 FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 46

CONTAINER NO. — SEX ♂ AGE ad ? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 48

DATE MAY 7 1961 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 47

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE MAY 7 1961 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 48

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 91

DATE MAY 7 1961 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 49

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 91

DATE SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 50

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE April 27, 1961 SPEEDOMETER

LOCALITY Black Mts., s.w. of Henderson

COUNTY Clark ~~CALIFORNIA~~ Nevada

STANDARD TIME 0830 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~ 3000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT wash in foothills

CHASE FEET

REMARKS: caught by Dean Slama

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 51

CONTAINER NO. B35 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 14 1961 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: caught in trap

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 52

CONTAINER NO. 07 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 96

DATE MAY 1 8 1981 SPEEDOMETER

LOCALITY 3 mi. S.E. of Garnet

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1550 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 7-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun on sand

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 53

CONTAINER NO. R16 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE June 3, 1961 SPEEDOMETER 2018

LOCALITY Los Medanos, 88 Kilos. S. of Mexicali

COUNTY Baja CALIFORNIA

STANDARD TIME 1710 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: walking beneath Larrea divericata.

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 54

CONTAINER NO. R12 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE JUN 4 1961 SPEEDOMETER 2050

LOCALITY Los Medanos (34 mi. S. of La Puerta)

COUNTY Baja CALIFORNIA

STANDARD TIME 0815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE _____ FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 55

CONTAINER NO. W4 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 94

DATE JUN 8 1961 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on sand

SPECIES _____ TAG NO. 56

CONTAINER NO. R10 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE JUL 23 1961 SPEEDOMETER _____

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on sand

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 57

CONTAINER NO. B 53 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE SEP 12 1961 SPEEDOMETER

LOCALITY 6 mi. N. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1350 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%) High!!!

WIND DIRECTION 0 ALTITUDE(ft)

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 40.5 °C AIR TEMP(1 cm) 42.5 °C

SOIL SURFACE TEMP 55.0 °C CLOACAL TEMP 43.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 48.0 °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: shade of small palo verde

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 58

CONTAINER NO. W1 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE OCT 12 1961 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1215 CLOUDS(% overcast) 75 (thin)

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C C

SOIL SURFACE TEMP °C CLOACAL TEMP °C C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 59

CONTAINER NO. A 7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 97

DATE APR 14 1962 SPEEDOMETER

LOCALITY 8 mi. w. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 60

CONTAINER NO. R7 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE APR 14 1962 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 61

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE APR 14 1962 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 62

CONTAINER NO. R51 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE APR 14 1962 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 63

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE APR 14 1962 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 64

CONTAINER NO. R7 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 100

DATE April 23, 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY San Bernardino CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 65

CONTAINER NO. – SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE May 5, 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE FEET

REMARKS: caught by field zool. class. DOA

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 66

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1640 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 67

CONTAINER NO. R33 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

LEFT OVIDUCT	RIGHT OVIDUCT
16.4 x 10.0 mm	16.2 x 10.8 mm
15.3 x 10.6 mm	15.9 x 11.1 mm.

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 68

CONTAINER NO. R33 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 69

CONTAINER NO. R33 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

LEFT OVIDUCT	RIGHT OVIDUCT
17.9 x 9.7	19.3 x 9.6
18.5 x 10.2	

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 70

CONTAINER NO. R33 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 71

CONTAINER NO. R33 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 72

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 97

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 73

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 74

CONTAINER NO. R22 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0930 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: caught by field zool. class

LEFT OVIDUCT	RIGHT OVIDUCT
21.0 x 9.4	20.7 x 10.0
	20.6 x 10.0

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 75

CONTAINER NO. R22 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 76

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 77

CONTAINER NO. R22 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 78

CONTAINER NO. 02 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0745 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: caught by field zool. class

LEFT OVIDUCT	RIGHT OVIDUCT
17.5 x 11.0 mm	17.6 x 9.4 mm
17.0 x 10.4 mm	17.1 x 10.0 mm.

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 79

CONTAINER NO. 02 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 93

DATE MAY 5 1962 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0730 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 80

CONTAINER NO. 02 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 5 1982 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 81

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2780

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 82

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 83

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 84

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 85

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 86

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 87

CONTAINER NO. Y2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 88

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 100

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 89

CONTAINER NO. R3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE MAY 18 1962 SPEEDOMETER

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 90

CONTAINER NO. W6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE June 14, 1962 SPEEDOMETER

LOCALITY Warner's Hot Springs

COUNTY San Diego CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT chaparral

CHASE FEET

REMARKS: Laid 4 eggs in the collecting sack before 10AM June 15th. Measurements were:

17.8 X 10.9 mm.

17.6 X 11.4 "

17.0 X 11.0 "

18.9 X 10.3 "

Caught at Chevron station by owner.

SPECIES Cnemidophorus tigris TAG NO. 91

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE JUN 26 1982 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE 50 FEET

REMARKS: ran across road in front of us

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 92

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE July 21, 1962 SPEEDOMETER

LOCALITY Between Lancaster and Mojave

COUNTY Kern CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~ 2500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE FEET

REMARKS: caught by Jay Sugarman

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 93

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE July 21, 1962 SPEEDOMETER

LOCALITY Near Mojave

COUNTY Kern CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~ 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE FEET

REMARKS: caught by Jay Sugarman

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 94

CONTAINER NO. W18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE AUG 8 1962 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 95

CONTAINER NO. R34 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 94

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0740 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 96

CONTAINER NO. R2 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 97

CONTAINER NO. W29 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 98

CONTAINER NO. W29 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE AUG 19 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sun

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 99

CONTAINER NO. B 19 SEX ♂ AGE imm ? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 62

DATE SEP 23 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE 3 FEET

REMARKS: in sun on ground

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 100

ITAINER NO. R2 SEX ♂ AGE ad TOE CLIP#

IGHT(gms) SNOUT-VENT LENGTH(mm) 98

D/

DATE MAR 13 1963 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

ND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SC

SOIL SURFACE TEMP °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 101

CONTAINER NO. — SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: (W) (20) (13)

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 102

CONTAINER NO. B72 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE May 4, 1963 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 103

CONTAINER NO. B72 SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 69

DATE MAY 4 1982 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. ~~[illegible]~~ 104

CONTAINER NO. R 21 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 77

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 105

CONTAINER NO. W30 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69 (dead) 65 (live)

DATE MAY 4 1983 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 106

CONTAINER NO. W30 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74 (dead) 74 (live)

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION S.W. ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. °C

AIR TEMP(1 m) 23.8 °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS:

SPECIES CHEMIDOPHORUS TIGRIS TAG NO. 107

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 97

DATE MAY 4 1963 SPEEDOMETER _____

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 108

CONTAINER NO. B74 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 4 1983 SPEEDOMETER

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 109

CONTAINER NO. B74 SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 68

DATE MAY 4 1963 SPEEDOMETER _____

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 110

CONTAINER NO. W31 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 69

DATE MAY 4 1983 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 111

CONTAINER NO. R21 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 112

CONTAINER NO. R21 SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms) -------- SNOUT-VENT LENGTH(mm) 65

DATE MAY 4 1983 SPEEDOMETER _____

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 113

CONTAINER NO. R 9 SEX ♀ AGE ad TOE CLIP# •

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 84

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 2 mi E of Desert Oasis

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~~2800~~ 2000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Lava Flow

CHASE FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 114

CONTAINER NO. W23 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 91

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 2 mi. E. of Desert Oasis

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1615 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 11-15 ROAD TEMP. °C

AIR TEMP(1 m) 32.0 °C. AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP 41.2 °C SUBSTRATE TEMP °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ Lava Flow

CHASE 50 FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 115

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE JUN 11 1963 SPEEDOMETER

LOCALITY Rice

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 50

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 116

CONTAINER NO. B 75 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE SEP 5 1963 SPEEDOMETER

LOCALITY 12 mi. S. of Palo Verde (in Milpitas Wash)

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0650 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT DESERT WASH

CHASE 10 FEET

REMARKS: feeding beneath ironwood tree in wash

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 117

CONTAINER NO. 03 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE APR 4 1984 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS:

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 118

CONTAINER NO. B57 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE APR 1 1984 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 119

CONTAINER NO. 06 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 107

DATE APR 11 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Mated with #120 in lab. this morning.

(4/15/64)

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 120

CONTAINER NO. 07 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 97

DATE APR 11 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Mated with #119 in lab. this morning (4/15/64)

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 121

NTAINER NO. 07 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE APR 1 1 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

IND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Tried to mate with ♂ C. tigris and

with a Phrynosoma m'calli today (4/15/64)

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 122

NTAINER NO. R7 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE April 11, 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

IND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 123

CONTAINER NO. 03 SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE APR 4 1964 SPEEDOMETER _____

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 124

CONTAINER NO. W6 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE MAY 2 1964 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: _____

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 125

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP# ~~[illegible]~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 91

DATE AUG 18 1964 SPEEDOMETER _____

LOCALITY Sheep Hole Pass

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 80

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 2500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in shade

SPECIES CNEMIDOPHORUS TIGRIS TAG NO. 126

CONTAINER NO. R24 SEX _____ AGE ad TOE CLIP# —

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE AUG 1 9 1964 SPEEDOMETER _____

LOCALITY 2 mi. W, of Homestead Valley

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: _____

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

NOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi\hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

BASE _____ FEET

REMARKS: _____